



Over 375 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The Pro tools catalogue

Hardware tools intro











Content

3 Hardware Tools

6 Hardware Saws

- 8 Handsaws
- 9 Other saws
- 10 Replacement blades

12 CarbonMax[™] Knives Introducing blades that stay sharp 24x longer than

- the competition
- 15 Utility Knives
- 17 Utility Knives, (snap-off)
- 18 Changeable Blades

20 Hardware Knives

24 PowerGear[™] Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

28 PowerArc[™] Scissors

Make cutting easier, especially at the end of the cut where more force is required

31 Amplify[™] Scissors

32 PowerGear[™] Bolt Cutters

Make cutting hardened rods up to 30% easier, especially at the beginning of the cut where more force is required

35 IsoCore[™] Tools

Shock control system absorbs strike shock and vibration to reduce the punishment your body takes, transferring up to 70% less shock and vibration than wood handles

- 36 Striking Tools
- 40 Hammers
- 42 Demolition Tools
- 44 Iron bars

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

Relentless

Working hard is in your DNA. Which is why every day, you go out there and dig. Pry. Strike. And demolish. Your work is rigorous. Relentless. And unforgiving. And at the end of the day, you hurt. We feel your pain.

Truth is, there are plenty of tools out there that "get the job done." But how many of them can also say they work for you? We can.

We work tirelessly to design tools that not only perform and last, but reduce negative impact on your body. It's called Advanced Human Engineering and it's a process of study, design and validation that puts you at the center of it all. It's ruthless. But at the end of the day, it solves problems. Real problems for real people. And that is the heart of our design DNA.

Hardware tools

CarbonMax[™] Knives

Introducing blades that stay sharp 24x longer than the competition.

PowerGear[™] Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

PowerGear[™] Bolt Cutters

Make cutting hardened rod up to 30% easier, especially at the beginning of the cut where more force is required.

PowerArc[™] Heavy Duty Scissors

Make cutting easier, especially at the end of the cut where more force is required.

IsoCore[™] Demolition Tools

Take on extreme projects with the industry's best shock control system.

PowerTooth[™] Saws

Cut faster, straighter, closer & safer.

Pro tool technologies











POS materials

The Fiskars® Pro assortment is supported by a wide range of POS materials, from category-specific top signs and posters, to popups and wobblers, to informative shelfdividers with detailed information about technologies and products.

We also offer a modular display which is easily stacked with our shelf-ready retail packaging.














Shelf-dividers (200x1000mm)



Wobblers (110x200mm)















Universal displays (790x298mm)



Floor stickers (650mm)



Retail boxes

Utility knives, claw hammers, aviation snips & heavy duty scissors come in shelf-ready retail packaging.

Sharper.

Razor-sharp PowerTooth[™] blade cuts faster & stays sharp longer.

Tougher.

Full-body metal construction, tested to withstand drops and impacts.

More Comfortable.

Ergonomic design supports multiple grips for whatever the job demands.

Power support to rip through rough materials.

Fine teeth for a controlled easy cut start.

MANNA MANNA PowerTooth™ technology offering precise triple-grinding for razor-sharp teeth.

PowerTooth[™]

FISKARS' P

UNIVERSAL BLADE THE POWER TOOTH"

Universal

hand saws

PowerTooth[™]

INDUCTION-HARDENED

N N N N N N N N N N



Included sheath securely locks onto blade for safe storage and transport and includes a built-in carpenter pencil holder.





Intelligently textured SoftGrip[™] that displaces moisture, prevents blisters and provides a slip-free hold.

Saws

Hacksaw

Blade tensioning mechanism that clicks into place for optimal tensioning every time. A secondary grip feature for two-handed power, precision and control. Blade secures in out-front position for cutting in small spaces.



Folding pull saws

Folding mechanism to protect fine delicate teeth and protect user from abrasions with a quick, accessible lock that clicks to communicate a securely locked blade. Hex bolt for intuitive and secure blade replacement.

Compact folding saw

Accepts standard reciprocating saw blades and opens with the flick of the wrist. Intuitive, fast front-loading blade change that fits standard reciprocating saw blades. Ergonomic control positioning for comfort in tight situations.

Jab saw with sheath

Ultra-sharp, sturdy fixed blade with rugged sheath for ultimate safety. PowerTooth[™] technology offering precise triple-grinding for razor-sharp teeth and a rasp for smoothing out rough cuts. The reinforced metal pommel end provides reliable resistance against pounding and drops.







Hardware Saws | Handsaws

owerToot	h™ Handsav	<i>v</i> , 380 mm 9	TPI			EAN
Width: 17,8 cm	Height: 49,9 cm	Depth: 4,1 cm	Weight: 0,049 kg	Retail box: 3	Art. no. 1062930	6 411501 201133
	ewe bie			VPA George George Schemes	 virtually no binding for qu Middle and heel of blade cuts through all types of 	nology offers greater control with uicker, cleaner cut starts. feature 9 TPI for forceful, smooth wood, laminate, PVC and more. wed hands, and innovative texturi ovides a slip-free hold.
PowerToot	h™ Handsav	w, 500 mm 9	TPI			EAN
Width: 17,8 cm	Height: 62,6 cm	Depth: 4,1 cm	Weight: 0,057 kg	Retail box: 3	Art. no. 1062919	6 411501 201126
	FERM			VPA George George Schamat	 virtually no binding for qu Middle and heel of blade cuts through all types of 	nology offers greater control with uicker, cleaner cut starts. feature 9 TPI for forceful, smooth wood, laminate, PVC and more. wed hands, and innovative texturin ovides a slip-free hold.
PowerToot	h™ Handsav	w, 550 mm 7	TPI			EAN
Width: 17,8 cm	Height: 67,4 cm	Depth: 4,1 cm	Weight: 0,058 kg	Retail box: 3	Art. no. 1062916	6 411501 201096
	•	ewe me		VPA George	 virtually no binding for qu Middle and heel of blade through all types of wood Oversized handle fits glo 	nology offers greater control with uicker, cleaner cut starts. features 7 TPI for forceful cuts d, laminate, PVC and more. wed hands, and innovative nandle provides a slip-free hold.
PowerToot	h™ Handsav	w, 550 mm 9	TPI			EAN
Width: 17,8 cm	Height: 67,4 cm	Depth: 4,1 cm	Weight: 0,058 kg	Retail box: 3	Art. no. 1062917	6 411501 201102
9	•	SANS DE			 virtually no binding for qu Middle and heel of blade cuts through all types of 	nology offers greater control with uicker, cleaner cut starts. feature 9 TPI for forceful, smooth wood, laminate, PVC and more. wed hands, and innovative texturin bvides a slip-free hold.
PowerToot	:h™ Handsav	v, 550 mm 1	1 TPI			z #11111
Width: 17,8 cm	Height: 67,4 cm	Depth: 4,1 cm	Weight: 0,058 kg	Retail box: 3	Art. no. 1062918	6 411501 201119
	٩	SKARS DEE			 virtually no binding for qu Middle and heel of blade through softer wood. 	nology offers greater control with

Other Saws

IrueTensio	n™ Hacksa	<i>w</i> , 300 mm 2	24 I PI			EAN
Width: 18,5 cm	Height: 41,3 cm	Depth: 1,6 cm	Weight: 0,83 kg	Retail box: 3	Art. no. 1062934	6 411501 201140
٢					 pipe, bolts, nails and mor Blade changes are faster visible, easily accessible (Innovative texturing on So hold. 	onfidence in tensioning for tening. al, plastic, PVC, conduit, copper e. and easier with no loose parts a on-tool blade storage. oftGrip™ handle provides a slip-1 , bimetal blade (24 TPI). Replace
PowerToot	h™ Detail Pı	ull saw, 150 i	mm 19 TPI			
Width: 12,7 cm	Height: 41 cm	Depth: 2,8 cm	Weight: 0,20 kg	Retail box: 3	Art. no. 1062932	6 411501 201157
		•		Confr	teeth and prevents accide Fine-finish, 19 TPI blade c for detailed, clean cuts. Flexible for quick, easy ar Compact size allows for e cuts. I deal for use on softer wor SoftGrip™ touchpoints fe	ffers excellent accuracy and cor d clean flush cuts. asy access and is ideal for preci ods. ature innovative texturing that ints blisters and provides a slip-f
arbonMa	x™ Folding u	utility knife				EAN
Vidth: 15,3 cm	Height: 61 cm	Depth: 2,8 cm	Weight: 0,32 kg	Retail box: 3	Art. no. 1062933	6 411501 201164
				VPA George	teeth and prevents accide • Optimized 13 TPI blade of control on softer woods, v 2x4s, PVC and more. • Flexible for easy, clean flu • Hooked end provides a se • SoftGrip™ touchpoints fe	fers excellent precision and while allowing for general cuts or sh cuts. ecure hold for pulling motion. ature innovative texturing that ints blisters and provides a slip-
Compact F	olding Toolk	box Saw, 2 b	lades			z
Width: 12,7 cm	Height: 33,7 cm	Depth: 2,8 cm	Weight: 0,089 kg	Retail box: 6	Art. no. 1062934	E 411501 201171
	0	•			displaces moisture, preve hold.	esign allows for fast blade lick of a wrist. blade changes. sciprocating saw blades. sature innovative texturing that ints blisters and provides a slip-1 with induction-hardened teeth: 0 de for wood and plastic and one
PowerToot	h™ Jab Saw	with Sheat	h 8tpi			EAN
Width: 15,3 cm	Height: 38,8 cm	Depth: 3,8 cm	Weight: 0,18 kg	Retail box: 6	Art. no. 1062935	6 411501 201188
					belt clip and hang hole for • Triple-ground blade cuts sharp tip for piercing quic • Rasp on non-sawing side • Handle is sized and shapp with textured SoftGrip™ f	with speed and efficiency with u k starts through plasterboards. of blade smooths out rough cut ed for optimized comfort and co or a slip-free hold. tects against pounding and droj

Low-friction blade coating resists rust and dust buildup.

Other Saws | Replacement blades

Builder's S	aw, 233 mm					E A A
Width: 8,5 cm	Height: 40 cm	Depth: 3,4 cm	Weight: 0,13 kg	Retail box: 4	Art. no. 1000612	6 411501 238603
-					 Features a handy bell SoftGrip[™] handle en: 	e. tored inside the handle when not in ι
Replacem	ent Blade Ha	icksaw 300	mm 24 TPI			EAN
Width: 5,1 cm	Height: 36,9 cm	Depth: 0,7 cm	Weight: 0,05 kg	Retail box: 12	Art. no. 1062941	6 411501 201249
					 Ideal for clean cuts th 	for long-lasting sharpness. rough metal, plastic, PVC and more Tension™ hacksaw (item #1062931) rage.
Senlacem	ent Blade Du	= 0 III Saw 150 m	am 10 TPI			
-	ent Blade Pu					
-	ent Blade Pu Height: 25,4 cm	III Saw 150 n Depth: 0,7 cm	nm 19 TPI Weight: 0,09 kg	Retail box: 12	Art. no. 1062942	۲۲ 6 411501 201256
-				Retail box: 12	Bind-resistant profile	6 411501 201256 with 19 TPI for fine finishing work.
-				Retailbox: 12	 Bind-resistant profile Ideal for accurate, co Thin kerf allows flexib 	6 411501 201256 with 19 TPI for fine finishing work. ntrolled cuts on softer woods. ility for quick, clean flush cuts.
Width: 12,7 cm				Retail box: 12	 Bind-resistant profile Ideal for accurate, co Thin kerf allows flexib Induction-hardened t Low-friction coating p Fits Fiskars[®] Pro foldii 	6 411501 201256 with 19 TPI for fine finishing work. ntrolled cuts on softer woods.
Width: 12,7 cm	Height: 25,4 cm	Depth: 0,7 cm	Weight: 0,09 kg	Retail box: 12	 Bind-resistant profile Ideal for accurate, co Thin kerf allows flexib Induction-hardened t Low-friction coating p Fits Fiskars[®] Pro foldir which has an intuitive mechanism. 	6 411501 201256 with 19 TPI for fine finishing work. ntrolled cuts on softer woods. ility for quick, clean flush cuts. eeth provide long-lasting sharpness prolongs blade life and resists rust. ng detail pull saw (item #1062932),
Width: 12,7 cm		Depth: 0,7 cm	Weight: 0,09 kg	Retail box: 12	 Bind-resistant profile Ideal for accurate, co Thin kerf allows flexib Induction-hardened t Low-friction coating p Fits Fiskars[®] Pro foldi which has an intuitive mechanism. 19 TPI 	6 411501 201250 with 19 TPI for fine finishing work. ntrolled cuts on softer woods. ility for quick, clean flush cuts. eeth provide long-lasting sharpness prolongs blade life and resists rust. ng detail pull saw (item #1062932), hex-bolt blade replacement
Width: 12,7 cm	Height: 25,4 cm	Depth: 0,7 cm	Weight: 0,09 kg	Retail box: 12	 Bind-resistant profile Ideal for accurate, co Thin kerf allows flexib Induction-hardened t Low-friction coating p Fits Fiskars[®] Pro foldi which has an intuitive mechanism. 19 TPI 	6 411501 201256 with 19 TPI for fine finishing work. ntrolled cuts on softer woods. ility for quick, clean flush cuts. eeth provide long-lasting sharpness prolongs blade life and resists rust. ng detail pull saw (item #1062932),

Cut faster, straighter, closer & safer.



for easy carrying and safe storage

Sharper, smarter, more durable knives.

CarbonMax[™]

Sharper.

CarbonMax[™] blades stay sharp longer than the competition – even carbide.

Tougher.

Full-body metal construction, tested to withstand drops and impacts.

More comfortable.

Ergonomic design supports multiple grips for whatever the job demands.




Carbide

CarbonMax[™]

Standard


Utility knives



Utility knives | Changeable blades

JarbonMa	x™ Compac	t Folding Ut	tility Knife			EAN
Width: 10,9 cm	Height: 18,5 cm	Depth: 2,2 cm	Weight: 0,84 kg	Retail box: 3	Art. no. 1062939	6 411501 20122
				VPA C	 Smaller than other fold storage in pockets & to 	ding utility knives for ultimate
					 One-handed, flip-ope deployment. 	
- 6					Quick, easy front-load	ling blade change.
					 Reinforced metal end against pounding and 	for sturdy, reliable resistance drops.
					Includes one Carbon	
CarbonMa	x™ Safety U	tility Knife				EAN
Width: 11,2 cm	Height: 26 cm	Depth: 3cm	Weight: 0,23 kg	Retail box: 3	Art.no. 1062938	6 411501 20121
				VPA	Auto-retracting blade	
				Gepniffe	 Intuitive, one-handed Safety lock prevent ac 	
					, ,	en for tool-free blade changes.
	~				 Reinforced metal end against pounding and 	for sturdy, reliable resistance drops.
					Includes one Carbon	
arbonMa	x™ Fixed uti	ility knife				z
Vidth: 10,9 cm	Height: 26 cm	Depth: 3 cm	Weight: 0,203 kg	Retail box: 6	Art. no. 1027222	6 411501 70140
					 Folding blade guard d a button for convenier 	eploys with the push of
E-	-			Retail	Reinforced metal end	provides reliable
10				pack	 resistance against pou Knife hinges open for 	o 1
		•			with no loose parts	, ,
	-			Genüffe	 Includes one CarbonN Accommodates five statements 	∕lax™ utility blade tandard-sized utility blades
arbonMa	x™ Retracta	able utility k	nife			
Vidth: 10,9 cm	Height: 26 cm	Depth: 3 cm	Weight: 0,171 kg	Retail box: 6	Art. no. 1027223	6 411501 70141
						helps prevent accidental blade
				Retail	retraction when you're	in the middle of a job en with no loose parts to keep
				pack	track of during blade o	change
1-1	and the second second second				 Reinforced metal end resistance against pour 	provides sturdy, reliable unding and drops
		4			Includes one Carbon	0
	<u> </u>			Gaprüffe Sicherheit	 Accommodates five st 	tandard-sized utility blades
a what a while	x [™] Folding	utility knife				EAN
arbonivia	Lleight 10 E em	Depth: 3cm	Weight: 0,171 kg	Retail box: 6	Art. no. 1027224	6 411501 70142
	Height: 18,5 cm					
Vidth: 10,9 cm					 Dual-locking system p without sacrificing black 	prevents accidental blade releas de-change speed
	Height: 18,5 cm			Retail	 without sacrificing black Easy, one-handed, flip 	de-change speed o-open design means knife
		D		Retail pack	 without sacrificing blace Easy, one-handed, flip opens with the flick of Ergonomic design, inc. 	de-change speed o-open design means knife a wrist cluding deep grooves and
		D	****		 without sacrificing black Easy, one-handed, flip opens with the flick of Ergonomic design, inc contouring allows for r 	p-open design means knife a wrist cluding deep grooves and

Utility Knives | Changeable Blades



Snap-off knives | Changeable blades



Width: 10,9 cm	Height: 26 cm	Depth: 2,6 cm	Weight: 0,154 kg	Retail box: 6	Art. no. 1027227	6 411501 70145
			D	etoil	 Offers convenient, fron with no loose parts 	t-loading blade change
				etail ack	 Integrated segment sn automatically captures 	apper safely snaps — and — used blades
					 Reinforced metal end p resistance against pou 	
1			VP	1 C)	 Includes one CarbonM 	lax™ utility blade
				Geprüfte Sicherheit	 Accommodates 18 mn 	n snap-off utility blades
CarbonMa	x™ Snap-of	f knife, 25m	m	Gepainte Sicherheit	Accommodates 18 mn	
	x [™] Snap-of Height: 26 cm	f knife, 25m	m Weight: 0,239 kg	Retail box: 6	Accommodates 18 mn Art. no. 1027228	6 411501 70146
	-		Weight: 0,239 kg			B 6 411501 70146
	-		Weight: 0,239 kg	Retail box: 6	Art. no. 1027228 • Offers convenient, fron with no loose parts	t-loading blade change apper safely snaps — and
	Height: 26 cm		Weight: 0,239 kg	etail	Art. no. 1027228 Offers convenient, fron with no loose parts Integrated segment sn 	t-loading blade change apper safely snaps — and — used blades provides sturdy, reliable
CarbonMa Width: 10,9 cm	Height: 26 cm		Weight: 0,239 kg	etail	Art. no. 1027228 Offers convenient, from with no loose parts Integrated segment sn automatically captures Reinforced metal end p 	t-loading blade change apper safely snaps – and – used blades provides sturdy, reliable nding and drops

Changeable blades

			I I			EAN
Vidth: 10,8 cm	Height: 17,8 cm	Depth: 1,55 cm	Weight: 0,07 kg	Retail box: 6	Art. no. 1062940	6 "411501"201232
					 Replacement blades for snap-off utility knives. 	or CarbonMax™ 25 mm
	_		x2	20		proprietary, edge-retention
					coating.	onger than standard utility blad
					Laboratory tested and	-
					Blades fit non-Fiskars	knives as well.
					Pack includes 20 blade	es.
arbonMa	x™ Utility kr	nife blades, f	10 pack			EAN
Width: 7,6 cm	Height: 16,5 cm	Depth: 1,3 cm	Weight: 0,049 kg	Retail box: 6	Art. no. 1027230	6 411501 701480
					Replacement blades for	or CarbonMax™ 25 mm
	_		x1	0		proprietary, edge-retention
					 coating. Stays sharp up to 24x I 	onger than standard utility blad
					Laboratory tested and Blades fit non-Fiskars	verified.
					Pack includes 10 blade	
arbonMa	x™ Utility kr	nife blades, {	5 pack			z
Width: 7,6 cm	Height: 16,5 cm	Depth: 1 cm	Weight: 0,015 kg	Retail box: 6	Art. no. 1027229	6 411501 701473
			· · · · · · · · · · · · · · · · · · ·			
					Replacement blades fr	nr CarbonMax™ 25 mm
					 Replacement blades for snap-off utility knives. 	or CarbonMax™ 25 mm
					snap-off utility knives.Blade feature Fiskars'	or CarbonMax™ 25 mm proprietary, edge-retention
			x		 snap-off utility knives. Blade feature Fiskars' coating. 	proprietary, edge-retention
					 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and 	proprietary, edge-retention onger than standard utility blac verified.
					 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x l Laboratory tested and Blades fit non-Fiskars 	proprietary, edge-retention onger than standard utility blac verified. knives as well.
			x		 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and 	proprietary, edge-retention onger than standard utility blac verified. knives as well.
CarbonMa	ix™ Snap-of		x		 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x l Laboratory tested and Blades fit non-Fiskars 	proprietary, edge-retention onger than standard utility blac verified. knives as well.
CarbonMa Width: 4,8 cm	nx [™] Snap-of Height: 17,8 cm		x		 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x l Laboratory tested and Blades fit non-Fiskars 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s.
	-	f blades, 18	mm, 5 pack	5	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x l Laboratory tested and Blades fit non-Fiskars l Pack includes 5 blades Art. no. 1027232 Replacement blades for 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501701503
	-	f blades, 18	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x l Laboratory tested and Blades fit non-Fiskars l Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility blacks 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501701503
	-	f blades, 18	mm, 5 pack	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 701503 or Fiskars CarbonMax™ cnives. feature Fiskars' proprietary, g.
	-	f blades, 18	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 701503 or Fiskars CarbonMax™ cnives. 'eature Fiskars' proprietary, J. onger than standard utility blac
	-	f blades, 18	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating. Stays sharp up to 24x I 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 701503 or Fiskars CarbonMax™ cnives. reature Fiskars' proprietary, j. onger than standard utility blac verified.
	-	f blades, 18	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating Stays sharp up to 24x I Laboratory tested and 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 701503 or Fiskars CarbonMax [™] knives. eature Fiskars' proprietary, g. onger than standard utility blac verified. / for a new sharp tip.
Width: 4,8 cm	-	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating. Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly. 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 70150 or Fiskars CarbonMax [™] cnives. feature Fiskars' proprietary, longer than standard utility blac verified. for a new sharp tip. 8 mm snap-off blades.
Width: 4,8 cm	Height: 17,8 cm	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' coating. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating. Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly. 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 411501 701503 or Fiskars CarbonMax [™] knives. eature Fiskars' proprietary, g. onger than standard utility blac verified. / for a new sharp tip.
Width: 4,8 cm	Height: 17,8 cm	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' protecting. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades for edge-retention coating Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly Pack includes 5 pcs 18 Art. no. 1027233 Replacement blades for 18 mm snap-off utility F 	proprietary, edge-retention onger than standard utility blac verified. knives as well. 3.
Width: 4,8 cm	Height: 17,8 cm	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' pooting. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades fedge-retention coating Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly Pack includes 5 pcs 18 Art. no. 1027233 Replacement blades for snap-off utility knives. CarbonMax™ blades for snap-off utility knives. 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 4 11501 701503 or Fiskars CarbonMax [™] chives. feature Fiskars' proprietary, onger than standard utility blac verified. y for a new sharp tip. 8 mm snap-off blades. 1 4 11501 701510 or Fiskars CarbonMax [™] 25 mm feature Fiskars' proprietary,
Width: 4,8 cm	Height: 17,8 cm	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' pooting. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades fedge-retention coating Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly Pack includes 5 pcs 18 Art. no. 1027233 Replacement blades for snap-off utility knives. CarbonMax™ blades fit snap-off utility knives. CarbonMax™ blades fit snap-off utility knives. 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 4 11501 [™] 70150 or Fiskars CarbonMax [™] chives. eature Fiskars' proprietary, onger than standard utility blac verified. (for a new sharp tip. 8 mm snap-off blades. 1 6 4 11501 [™] 70151 or Fiskars CarbonMax [™] 25 mm snap-off blades.
Width: 4,8 cm	Height: 17,8 cm	f blades, 18 Depth: 0,5 cm	mm, 5 pack Weight: 0,019 kg	5 Retail box: 6 Retail box: 6	 snap-off utility knives. Blade feature Fiskars' pooting. Stays sharp up to 24x I Laboratory tested and Blades fit non-Fiskars I Pack includes 5 blades Art. no. 1027232 Replacement blades for 18 mm snap-off utility F CarbonMax™ blades fedge-retention coating Stays sharp up to 24x I Laboratory tested and Blade snaps off cleanly Pack includes 5 pcs 18 Art. no. 1027233 Replacement blades for snap-off utility knives. CarbonMax™ blades fit snap-off utility knives. CarbonMax™ blades fit snap-off utility knives. 	proprietary, edge-retention onger than standard utility blac verified. knives as well. s. 6 4 11501 701503 or Fiskars CarbonMax [™] chives. feature Fiskars' proprietary, onger than standard utility blac verified. y for a new sharp tip. 8 mm snap-off blades. 1 1 1 1 1 1 1 1 1 1

CarbonMa	ax™ Snap-of	f blades, 18	mm, 10 pack			EA
Width: 4,8 cm	Height: 17,8 cm	Depth: 1 cm	Weight: 0,07 kg	Retail box: 6	Art. no. 1048066	6 411501 560391
					 Replacement blades f 18 mm snap-off utility 	or Fiskars CarbonMax™ knives.
	10/01/		X	10	CarbonMax [™] blades edge-retention coating	feature Fiskars' proprietary, g.
	1 101				Stays sharp up to 24x	longer than standard utility blades.
					 Laboratory tested and 	verified.
					 Blade snaps off cleanling 	y for a new sharp tip.
					 Pack includes 10 pcs 	18 mm snap-off blades.
CarbonMa	ax™ Snap-of	f blades, 25	mm, 10 pack	~		
		,				
Width: 7,6 cm	Height: 21,6 cm	Depth: 3,2 cm	Weight: 0,173 kg	Retail box: 6	Art. no. 1048067	6 411501 560407
Width: 7,6 cm	-	-	Weight: 0,173 kg		Replacement blades f	6 411501 560407 or Fiskars CarbonMax™
Width: 7,6 cm	-	-	Weight: 0,173 kg	Retail box: 6	 Replacement blades f 25 mm snap-off utility 	6 ^{II} 411501 ^{II} 560407 ^{II} or Fiskars CarbonMax [™] knives. feature Fiskars' proprietary,
Width: 7,6 cm	-	-		Retail box: 6	 Replacement blades f 25 mm snap-off utility CarbonMax[™] blades edge-retention coating 	6 ^{III} 411501 ^{III} 560407 ^{III} or Fiskars CarbonMax [™] knives. feature Fiskars' proprietary,
Width: 7,6 cm	-	-		Retail box: 6	 Replacement blades f 25 mm snap-off utility CarbonMax[™] blades edge-retention coating 	6 411501 560407 or Fiskars CarbonMax™ knives. feature Fiskars' proprietary, g. longer than standard utility blades.

• Pack includes 10 pcs 25 mm snap-off blades.

Stay Sharp, knives for every task

Hardware knives

To make cutting effective, your knife should always be as sharp as possible. That's why we integrated a high quality sharpener in the sheath. The sheath is available in all knives in this ranges, so you'll always have it with you.

The handle has great ergonomics, and the innovation in the knives sheath allow both left and right handed use. The range consist of 5 different colour coded knives, covering all building tasks.



Hardware knives | Fixed blades

Builder's k	nife with sha	arpener (Bla	ck)			EAN
Width: 4,2 cm	Height: 22,7 cm	Depth: 3,6 cm	Weight: 0,09 kg	Retail box: 12	Art. no. 1023617	6 411501 560162
					High quality blade that	lasts longer
					 Built-in, easy-to-use sh 	-
		and the second s			Sheath reversable for b	
	2					
Universal k	knife with sh	arpener (Or	ange)			EAN
Width: 80 cm	Height: 28 cm	Depth: 3,6 cm	Weight: 0,13 kg	Retail box: 8	Art. no. 1023618	6 411501 560179
					• High quality blade for g	
					 Built-in, easy-to-use sh 	arpener
		-			Sheath reversable for b	ooth handed use
	Contraction of the local division of the loc				 3-component ergonon 	nic handle (patent pending)
	•				 Stainless steel 	
Heavy duty	y knife with s	sharpener (C	Green)			
Width: 80 cm	Height: 28 cm	Depth: 3,6 cm	Weight: 0,15 kg	Retail box: 8	Art. no. 1023619	
		Boptili Gje oli li	Wolght. Offerig			
					Stronger and thicker bl	-
		and the second			Works also as deburrin	-
	0				Built-in, easy-to-use sh	
					Sheath reversable for b	
					• 3-component ergonom	nic handle (patent pending)
Craftsman	's knife with	sharpener	(Red)			EAN
Width: 80 cm	Height: 28 cm	Depth: 3,6 cm	Weight: 0,122 kg	Retail box: 8	Art. no. 1023620	6 411501 560193
					Charter blade for more	provision
					Shorter blade for more Puilt in easy to use sh	
		and the second second			 Built-in, easy-to-use sh Sheath reversable for b 	
	2					nic handle (patent pending)
					- o-component ergonon	no nancie (paterit periolity)
Carpenter	's knife with	sharpener (Yellow)			EAN
Width: 80 cm	Height: 28 cm	Depth: 3,6 cm	Weight: 0,152 kg	Retail box: 8	Art. no. 1023621	6 411501 560209
					High quality chisel blace	le
					Built-in, easy-to-use sh	
		COLUMN TWO IS NOT				i a processo de la composición de la composicinde la composición de la composición de la composición d



Sheath reversable for both handed use

• 3-component ergonomic handle (patent pending)

Other knives | Fixed blades

Mineral Wo	EAN						
Width: 84 cm	Height: 48 cm	Depth: 1,8 cm	Weight: 0,136 kg	Retail box: 4	Art. no. 1001626	— Ш	6 411502 879027
		18049			 Ideal for cutting insumineral wool or poly 	0	

Tough, releatess cuts

0

FS

PowerGear[™]

Utilise more of your strength

Patented PowerGear[™] technology gives you over 40% more power, making it easier to cut sheet metal, especially at the beginning of the cut where more force is required

Optimised handle span


Fits your grip, letting you apply more power without sacrificing cut length



A tool for every task



Offset aviation snips allow you to keep your hand on top of the sheet for cuts through the center of the sheet. These tools cut at a sharper angle, distancing your hands from sharp, jagged work surfaces.



Ideal for cutting a range of heavy-duty materials



Shorter cut length increases cutting capacity




ø




Aviation snips

Fiskars Pro PowerGear[™] aviation snips are ideal for cutting a range of heavy-duty materials, including sheet metal, ductwork, drywall corners, metal studs, siding, soffit, fascia, drip edge, gutters and more.

Equippied with PowerGear[™] patented technology, these tools feature leverage -enhancing gears that give you over 40 % more power, especially during the toughest part of the cut.





Outperforms leading competitors

PowerArc[™]

Intelligent mechanics Patent-pending technology features curved blades for up to 40% more power.





Heavy duty scissors

Fiskars Pro heavy-duty scissors feature power-enhanging technologies, such as PowerArc[™] for up to 30% more power, and Amplify[™] that cuts up to 2x thicker materials. This makes them ideal for cutting a variety of materials including insulation, duct tape, cardboard, cork, board rope, tar paper, Tyvek, hoses and more. Heavy-duty stainless steel blades power through thick materials without separation, while durable construction and high-quality materials guarantee long life.






Experience advanced


PowerGear[™] bolt cutter

Cut a range of heavy-duty materials including padlocks, chains, rebar, metal rods, threaded rods and more.



Bolt cutters

Ideal for cutting a range of heavy-duty materials including paddle locks, chains, rebar, metal rod, threaded rod and more, Fiskars Pro Bolt cutters feature PowerGear[™] patented technology - leverage-enhancing gears that give you over 30% more power, especially during the toughest part of the cut. Adjustable eccentric bolts allow you to optimize jaw alignment for optimal cut performance over time.





soCore[™]

Reduce punishment on your body

Patented technology reduces strike shock and vibration up to 70%, reducing muscle fatigue and joint pain.

Built to last longer

Forged, heat-treated steel head, finished with a rust-resistant coating.

Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

IsoCore[™]





Sledge Hammers

Patented IsoCore[™] Shock Control System transfers 2x less shock and vibration than wood handles, reducing the punishment your body takes

5x more destructive Induction-hardened, wedge-shaped demolition head concentrates force for maximum destruction, directing debris to the sides and away from the user

Inseparable riveted head Stainless steel riveted head with steel-reinforced core gives our product unmatched head retention and durability



Driving face Induction hardened extralarge diameter improves strike accuracy. Larger than competition.



Forged, heat-treated steel with rust-resistant coating

FISKARS'



IsoCore[™] Shock-absorbing insulation sleeve with overstrike protection

Strategic texturing

improves grip & helps prevent blisters

Handle flare keeps tool firmly in hand



Striking tools

socore m	Sledge ham	mer, L		1		EAN
Width: 16 cm	Height: 92 cm	Depth: 7,6 cm	Weight: 4,768 kg	Retail box: 2	Art. no. 1020219	6 411501 560063
		Elf-Aner		reddot award 2016 winner	destructive power Inseparable riveted head wi Forged, heat-treated steel w Extra-large diameter driving Handle flare keeps the tool f Insulation sleeve captures ir Dual-layer handle features in lingering vibration Steel-jacketed core improve	vith rust-resistant coating face improves strike accuracy irmly in hand when swinging iitial strike shock isulating materials to dampen
soCore™	Sledge ham	mer, XL				EAN
Width: 18 cm	Height: 92 cm	Depth: 8,3 cm	Weight: 5,67 kg	Retail box: 1	Art. no. 1020164	6 411501 560070
	PE	KARD		reddot award 2016 winter	destructive power Inseparable riveted head wi Forged, heat-treated steel w Extra-large diameter driving Handle flare keeps the tool f Insulation sleeve captures in Dual-layer handle features in lingering vibration Steel-jacketed core improve	vith rust-resistant coating face improves strike accuracy irmly in hand when swinging iitial strike shock isulating materials to dampen
soCore™	Club hamme	er, M				EAN
Width: 14 cm	Height: 28 cm	Depth: 5,7 cm	Weight: 1,633 kg	Retail box: 2	Art. no. 1020217	6 411501 560049
				reddot award 2016 winner	destructive power • Extra-large diameter driving • Forged, heat-treated steel w • Sculpted SoftGrip™ handle • Handle flare keeps tool firml • Strategic handle texturing fo • Insulation sleeve captures in	for enhanced comfort and control y in hand when swinging yr maximum grip helps prevent blis
soCore™	Club hamme	ər, L				EAN
Width: 14 cm	Height: 36 cm	Depth: 5,7 cm	Weight: 2,177 kg	Retail box: 2	Art. no. 1020218	6 411501 560056
				reddot award 2016 winner	destructive power • Extra-large diameter driving • Forged, heat-treated steel w • Sculpted SoftGrip TM handle • Handle flare keeps tool firml • Strategic handle texturing fo • Insulation sleeve captures in	for enhanced comfort and control y in hand when swinging yr maximum grip helps prevent blis
soCore™	Builder's axe	e, XXL				
SoCore TM Width: 21 cm	Builder's ax	Depth: 7,6 cm	Weight: 4,23 kg	Retail box: 2	Art. no. 1020220	6 411501 560087

Industry's


shock control system

Striking Tools

IsoCore™	Pick, L					
Width: 47 cm	Height: 92 cm	Depth: 9cm	Weight: 3,4 kg	Retail box: 2	Art. no. 1020166	6 411501 560094
					mattock end for use as Inseparable riveted hea Forged, heat-treated st Sculpted SoftGrip™ ha Patent-pending, strateg	ad will not slide down or snap off eel with rust-resistant coating Indle for enhanced comfort and control gic handle texturing features large finger rip and small dimples where the palm

Hammers





Punish projects, not your body

Demolition tools

Fiskars Pro Demolition tools are great for a variety of demolishing tasks and feature the patented IsoCore[™] shock control system to reduce shock and vibration by up to 70%.



Iron bars & claw

Iron bar 5 I	kg					EAN
Width: 2,9 cm	Height: 120 cm	Depth: 2,9 cm	Weight: 5 kg	Retail box: 1	Art. no. 1027234	6 411501 70152
					• For levering, moving load	ds, dislodging stones & diggi
		parameter and a second			 Octagonal cross-section 	n for better grip.
					 Made of high quality & d 	
					 Hardened ends to ensur using the bar to strike. 	e user safety when
ron bar 6 l	kg					
Width: 3cm	Height: 135 cm	Depth: 3 cm	Weight: 5 kg	Retail box: 1	Art. no. 1027235	6 411501 70153
					• For levering, moving load	ds, dislodging stones & diggi
					 Octagonal cross-section 	01
					 Made of high quality & d 	
					 Hardened ends to ensur using the bar to strike. 	re user safety when
					0	
Iron bar 7 I	kg					EAN
Width: 3,1 cm	Height: 150 cm	Depth: 3,1 cm	Weight: 7 kg	Retail box: 1	Art. no. 1027236	6 411501 70154
					 For levering, moving load 	ds, dislodging stones & diggi
					 Octagonal cross-section 	n for better grip.
					 Made of high quality & d 	urable carbon steel.
					 Hardened ends to ensur 	re user safety when using

• Hardened ends to ensure user safety when using the bar to strike.



Fiskars has championed the ageless principles of high quality, intuitive and sustainable design since 1649. We empower every enthusiast to follow their passions and create the life they want. We believe that making our daily activities enjoyable, inspiring and sustainable builds happiness and wellbeing that extends beyond our homes – to our families, our friends, our communities, and our planet.

COOKING | GARDENING | CRAFTING | HARDWARE

